



GSH
Güteschutzgemeinschaft
Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

Thermal Insulation Boards
made of expanded Polystyrene
Neoplak EPS 100
Neocoat EPS 100 Plus
Neoplak EPS 150
Neoplak EPS 200

with the designation code
described in Annex 1 (following page)

from the manufacturer

RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE

Based on ITT (Initial Type Test), comply with the requirements of

EN 13163:2012+A1:2015

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.07.2018**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

10.08.2017 / 15 12 056.e-R1



Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu

GSH Güteschutzgemeinschaft Hartschaum e.V.

Annex 1 of Attestation nr. 15 12 056.e

Product description

Neoplak EPS 100 (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100
Reaction to fire: Euroclass E
Declared Value of Thermal Conductivity 0,030 W/(m·K)

Neocoat EPS 100 Plus (HBCD-free)

EPS – EN 13163 – T(2) – L(3) – W(3) – S(5) – P(10) – DS(N)2 – DS(70,90)1 – BS150 – CS(10)100
Reaction to fire: Euroclass E
Declared Value of Thermal Conductivity 0,030 W/(m·K)

Neoplak EPS 150 (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS200 – CS(10)150
Reaction to fire: Euroclass E
Declared Value of Thermal Conductivity 0,030 W/(m·K)

Neoplak EPS 200 (HBCD-free)

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS250 – CS(10)200
Reaction to fire: Euroclass E
Declared Value of Thermal Conductivity 0,030 W/(m·K)

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned product. This attestation is valid until **31.07.2018**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

10.08.2017 / 15 12 056.e-R1


Manager of the Certification Body
Corth Siegfried

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu